

Electromagnetic Radiation Detector



Dear user, thank you for purchasing this product. Please read the instruction manual carefully before using it.



Please read and understand the safety precautions before using or repairing this equipment.

- This device is powered by lithium polymer battery.
- Do not place the device in dusty, humid and high temperature (above 40°C) places.
- Please do not disassemble the device casually, please ask professionals for repair and maintenance.
- This product is used as a reference for healthy life and cannot be used as a measuring instrument.

1.Display instruction



2. Operation instructions

1 Power on

Lightly press the on/off button " to wake up the screen, the display screen lights up, and the on/off button " to " glows green.

2 Power off

Lightly press the on/off button " again to turn off the machine, the screen becomes dark, and the light on the on/off button " " goes out.

3 Detection

After turning on the power, place the product close to the detected object, and the detected electric/magnetic field value will be displayed on the product screen.

When the detected value does not exceed the safe range, the screen displays the electric/magnetic field "safe", and the on/off button "() " lights up in green.

When the detected value exceeds the safe range, the product will sound an alarm, the electric/magnetic field "safety" prompts "exceeding the standard", and the on/off button " () " lights up red.

User Manual VER:V1

3. Function Parameters

NF-602	Electric field	Magnetic field	
Unit	V/m	uΤ	
Accuracy	1V/m	0.01uT	
Range	1~1999V/m	0.01~99.99uT	
Alarm threshold	40V/m	0.4uT	
Test bandwidth	5Hz~35	5Hz~3500MHz	
Test mode	Dual-mode sin	nultaneous test	
Sampling time	<0	.5S	
Display value	Pe	Peak	
Sound alarm		/	
Display screen	LI	ΕD	
Backlight		/	
Battery	Lithium	battery	
Charging port	Тур	e-C	
Operating temperature	0~5	0~50°C	
Product size	110×58×25mm		

4.Packing List

Model	NF-602
Master	1pc
Color Box	1pc
User Manual	1pc
Charging line	1pc
Certificate of Conformity/ warranty card	1pc
Lithium battery precautions card	1pc

Remarks: The manual is for reference only, subject to change without prior notice, the actual product shall prevail.

设计	品名	样式	印刷要求
CZG	NF-602说明书折页英文V1-20230713	3折页	単色
日期	品 号	页 码	
2023.07.13			
样品	尺寸	材质	
	240×110mm	128g铜版纸	
变更记录			